

3.

#### X-RAY TECHNICIAN EXAM VADODARA MUNICIPAL CORPORATION

Paper Series

Questions: 100

Max Marks: 100

Duration : 90

Date: 17 Dec.'23 Please read the instructions carefully before attending the Question paper. All Questions are compulsory.

	-		reason puper. 7m Queens	
(C) 2 to 2.8 Gy (E) Not Attempted  is the cheapest imaging modality in the Hodgkin's disease. (A) CT scan (C) Ultra-sonogram (E) Not Attempted The plane that divides the halves:	(B) 1.8 to 2 Gy (D) None of the above  and most commonly used initial staging of  (B) MRI scan (D) PET scan he body into right and left	10.	<ul><li>(C) Thermo</li></ul>	is: (B) Photoconduction (D) Thermionic emission (B) Magnetic Resonance Imaging (D) Magnetic Resonant Imaging
<ul><li>(A) Coronal plane</li><li>(C) Mid-axillary plane</li><li>(E) Not Attempted</li></ul>	(B) Axial plane (D) Median sagittal plane		sensitive region of visible (A) Low density (C) Low frequency	
Radioactivity was first (A) Roentgen (C) Joseph Lister (E) Not Attempted	described by? (B) Becquerel (D) Khorana	12.		one is: (B) Diaphysis (D) Epiphyseal cartilage
Maximum dose region lies at cm from (A) 0.1 cm (C) 5 cm (E) Not Attempted	in Cobalt-60teletherapy m the surface. (B) 1 cm (D) 0.5 cm	13.	<ul><li>(A) Increasing object- image distance</li><li>(C) Using tube with large</li></ul>	<ul><li>(B) Decreasing focus- image distance</li><li>(D) Reducing focal spot</li></ul>
<ul> <li>6. The salt used in X-ray intestinal tract is: <ul> <li>(A) Barium Sulphate</li> <li>(C) Thorium Dioxide</li> <li>(E) Not Attempted</li> </ul> </li> <li>7. Device which convert</li> </ul>	(B) Bismuth Sulphate (D) Tantalum Dioxide	14.	focal spot size  (E) Not Attempted  The concentration of deto in a biological tissue is to (A) Spin density (C) Spin echo (E) Not Attempted	size ectable hydrogen nuclei ermed as: (B) Electron density (D) Gyromagnetic ratio
voltage and vice versa (A) Rectifier (C) Autotransformer (E) Not Attempted	(B) Transformer (D) Cathode	15	AERB stands for:  (A) Atomic Energy Ruling Body  (C) Atomic Energy Rules Body	<ul><li>(B) Atomic Energy Regulatory Board</li><li>(D) Atomic Energy Regulation Body</li></ul>
8. SI unit of dose equivalent (A) Roentgens (C) Rad (E) Not Attempted	(B) Gray (D) Sievert	16	<ul> <li>(E) Not Attempted</li> <li>X-ray tube was discover</li> <li>(A) Roentgen</li> <li>(C) Gregory Hounsfield</li> <li>(E) Not Attempted</li> </ul>	(B) William Coolinge



Paper Series

Questions: 100 Max Marks: 100

Duration: 90

30.

# Please read the instructions carefully before attending the Question paper. All Questions are compulsory.

7. Single coated	films are used in	1:
------------------	-------------------	----

- (A) Chest radiography
- (B) Mammography
- (C) Extremity radiography
- (D) Xeroradiography
- (E) Not Attempted
- 18. Anode in mammography tube is made up of:
  - (A) Molybdenum
- (B) Rhenium
- (C) Tungsten
- (D) Copper
- (E) Not Attempted
- 19. For general purpose radiography minimum thickness of lead equivalent in protective apparel should be:
  - (A) 1 mm
- (B) 0.5 mm
- (C) 2 mm
- (D) 5 mm
- (E) Not Attempted
- 20. In a X-ray circuit, autotransformer is connected between:
  - (A) Cathode and anode
- (B) Source of current and primary of main transformer
- (C) Primary and secondary of main transformer
- (D) Filament circuit and X-ray tube.
- (E) Not Attempted
- 21 સોના કેરું કડું માટું સરી ગયું મમ મસ્તથી કેરું નામયોગી .ઓળખાવો
  - (A) અધિકરણવાચક
- (B) કરણવાચક
- (C) તાદર્થ્યવાયક
- (D) સબંધવાચક
- (E) प्रयत्न **ક**रवो नथी
- 22. નીચેનામાંથી કઈ સંધિ સાચી નથી?
  - (A) ચોગેશ્વ = ચોગ ઈશ્વર + (B) સર્વોદય = સર્વ ઉદય + પરીપકાર = પરીપ +
  - (C) sl?

- + શ્રુક પ્રાલુંદ = શ્રુકાલાંદ (a)
- (E) प्रयत्न કरवो नथी
- તોફાની છોકરા કોને ગમે? રેખાંકિત શબ્દ ઓળખાવો.
- (A) ગુણવાચક વિશેષણ
- (B) પરિમાણવાચક વિશેષણ
- (C) દર્શક વિશેષણ
- (D) સાપેક્ષ વિશેષણ
- (E) प्रयत्न કरवो नथी

<sup>24.</sup> દોરીને થૂંકથી ભીની કરો.વિભક્તિ ઓળખાવો - .

Date: 17 Dec.'23

- (A) પાંચમી
- (B) ત્રીજી
- (C) ચોથી
- (D) બીજી
- (E) પ્રયત્ન કરવો નથી
- 25. શોધી કાઢે દચિત જોઈને દૃષ્ટિ થાતીકયો છંદ છે ...?
  - (A) શિખરિણી
- (B) મંદાક્રાંતા
- (C) પૃથ્વી
- (D) ફરિણી
- (E) प्रयत्न કरवो नथी
- 26. ગઠન વિધિ છું મોજુંથે છું, વળી ધનવર્ષણ અભિનવ સ્વરૂપે પામું હું સદેફ વિસર્જન
  - (A) પૃથ્વી
- (B) માલિની
- (C) તારિણી
- (D) અનુષ્ટુપ
- (E) प्रयत्न કरवो नथी
- 27 નીચેનામાંથી વર્ણસગાઈનું સાચું દૃષ્ટાંત જણાવો.

વિપત પડ્યે ન

- મફેતાજી આવ્યાં, લાવ્યા
- (B) વલખીએ, વલખે વિપત ન જાય.
- (A) પ્રસાદ
- સહ યલો જીતવા જંગ,
- યામિની વ્યોમસર માંફે
- બ્યૂગલો વાગે યા हોમ
- <sup>(C)</sup> સરતી
- <sup>(D)</sup> કરીને પડો ફતેઠ છે આગે.
- (E) प्रयत्न કरवो नथी
- 28. જાગને જાદવા કૃષ્ણ ગોવાળિયા, તુજ વિના ધેનુમાં કોણ જાશેકયો છંદ છે -?
  - (A) સવૈયા
- (B) મનફર
- (C) ઝૂલણા
- (D) સ્ત્રગ્ધરા
- (E) प्रयत्न કरवो नथी
- 29. વાતચીતનો- ધીમો ધોંધાટ
  - (A) કલરવ
- (B) કલબલ
- (C) કેકારવ
- รมรผ (D)
- (E) प्रयत्न કरवो नथी



Paper Series

Questions: 100

Date: 17 Dec.'23

Duration: 90

Max Marks: 100

Please read the instructions carefully before attending the Question paper. All Questions are compulsory.

30.	કઈ વિભક્તિ વિશેષણ માટેના	21 21 22 1	07					
	(1) (1)		37.	<ul> <li>Localized area of ischaemic necrosis is mostly associated with:</li> </ul>				
	(0) 213 -0	(B) છડ્ડી		(A) A	Ascites	ociated wit		) Petechiae
		(D) ચોથી			nfarctic	n		) Emboli formation
	(E) પ્રયત્ન કરવો નથી					empted	·	
31.	Normal renal threshold	for glucose is:	38.	Rec	blood	Corpuscle	s ar	e also known as :
	(A) 150 - 170 mg/dl (C) 90-140 mg/dl (E) Not Attempted	(B) 70-110 mg/dl (D) 70-140 mg/dl		(A)   (C)	Erythro Leucoc	cytes	(B	3) Thrombocytes 9) Plasma
32.	homozygous persons mode of inheritance w  (A) Autosomal dominant.  (C) X-linked dominant  (E) Not Attempted  The anti-phagocytic p	y that male and female y affected, only are affected, then the yould be:  (B) Autosomal recessive  (D) X-linked recessive.	39.	(A) (C) (E) (E)	Called: Oligosi Hypers Not Att is ar Coryno Staphy	permia spermia tempted	(E (I) of g	of semen ejaculation  B) Hypospermia D) Aspermia  ram positive bacilli. B) Streptococci D) Klebsiella
	streptococcus is asso	ociated with which of the	A A					
	following:		41	1. W	hich of	the followi	ng a	are features of
	(A) Hyaluromidase (C) M. protein	(B) Streptolysin S			ansudat			
	(E) Not Attempted	(D) Peptidoglycan			i.			y below 1.018
34.		mmunoglobin is			ii.			y above 1.018
	composed of:			R.	iii. acteria	usually pre		than 2.5 g/dl
	(A) 2 identical heavy	(B) 2 identical heavy			) I and			(B) I and iii
	and 2 identical lig	ht and 2 different light chains			) li and			(D) li and iv <
	(C) 2 different heavy	(D) 2 different heavy				Attempted		,
	and 2 identical lig		4	2. V	Vhich is	the only t	issu	e present in
	chains	chains				ascular sys	tem	
25	(E) Not Attempted				<sup>A)</sup> Carti C) Smo	oth muscle	00	(B) Cardiac muscles
35.	plays all illipoi	tant role in sleep-wake				Attempted	53	(D) Neuroglia tissue
	cycle. (A) Spinal Cord	(B) Cerebrum		43.				
	(C) Hypothalmus	(D) Epithalamus		_	ce A) Alph		eas	secrete insulin.
	(E) Not Attempted	· / Epitrisiania			C) Gan			(B) Beta (D) Delta
36.	·	tormining LIV/ Infantions				Attempted		N=7 DOILG
	(A) ELISA Test	termining HIV Infections. (B) Lepromin Skin Tes	- 1					
	(C) Widal Test	(D) Mantoux Test						
	(E) Not Attempted	(-) Maritoux 100t						



Paper Series В

Questions: 100 Max Marks: 100

Date: 17 Dec. '23

Duration : 90

5

Please read the instructions carefully before attending the Question paper. All Questions are compulsory.

44.	The site for protein synthesis inside the cell is:	51.	I have (A) Need to	won the tournament. (B) Will
	(A) Rough (B) Smooth endoplasmic reticulum reticulum		(C) Could (E) Not Attempted	(D) Dare to
	(C) Nucleus (D) Mitochondria (E) Not Attempted	52.	Is thereshare?	_ that you would like to
45.	Which semisolid preparation is meant for external application to the skin?  (A) Tablet  (B) Capsule  (C) Ointments  (D) Powder		<ul><li>(A) everything</li><li>(C) enough</li><li>(E) Not Attempted</li></ul>	(D) much
	(E) Not Attempted	53.	We are	wait in the lobby until
46.	I do this before the deadline.  (A) dare to (B) may have  (C) ought to (D) would have  (E) Not Attempted		the receptionist calls a (A) Supposed to (C) Obliged to (E) Not Attempted	(B) Used to
47.	event is scheduled according	54.	He said, "Ah! You are (A) He exclaimed with delight that I was	
	to the plan.  (A) Each (C) All (D) Every  (E) Not Attempted		there. (C) He exclaimed with	was there. (D) He said it was a joy to see me there.
48.	David said, "Can we go tomorrow?"  (A) David said if we can go tomorrow.  (B) David asked if we could go the following day.	55.	(E) Not Attempted There has been a land be careful	
	(C) David asked if we (D) David said whether could go tomorrow. we could go tomorrow.			(D) would
49.	(E) Not Attempted  Don't you lie to me!  (A) need to (B) dare  (C) ought to (D) have	56.	Duration required for aut (A) 5 minutes (C) 1 minute (E) Not Attempted	tomated processing is: (B) 20 minutes (D) 1 hour
50.	(E) Not Attempted  Each and every member to vote.  (A) has (B) have (C) having (D) are	57.	Following are contraindi (A) Cardiac pacemaker (C) Intraocular metallic foreign body (E) Not Attempted	(B) Cochlear implant
	(E) Not Attempted	58.	Cancer cervix staging is (A) TNM staging (C) FIGO staging (E) Not Attempted	done by: (B) GTNM staging (D) None of the above



Paper Series

Questions: 100 Max Marks: 100

Date: 17 Dec.'23

Duration: 90

Please read the instructions carefully before attending the Q

		before attenum	y the Q	uestion paper. All Questic	ons are compulsory.
59. (	Orthopantomogram is take				
(,	A) Maxilla (E	B) Facial bone	00.	The ability to demonstra	te closely placed
(	C) Skull (r	o) M		structures in the subject a	as separate entities in the
	(-	D) Mandible		image is:	
`	E) Not Attempted			(A) Brightness	(B) Contrast
				(C) Resolution	
60. v	Which is NOT TRUE ***	4*			(D) None
(	Which is NOT TRUE rega	irding mammography	67.	(E) Not Attempted	
`	A) The generator must (I	B) The X-ray tube has	07.	Radiographic quality is i	mproved by all except:
	de able to maintain a	certain special design		(A) High speed screen-	(B) Decreased motion
	very accurate Kvp in	features, including a		film combination	blur
	the range of 25-35	beryllium window		(C) Optimum phosphor	(D) Increased noise
	Kvp	and a molybdenum		crystal size	, mercused noise
		target		(E) Not Attempted	
	(C) Focal spot is very (	D) The tube is 0.03 mm	68.	4000	
	large	of molybdenum or		close to skin surface.	equivalent material placed
		0.5 aluminium		(A) Orfit shell	(D) D
		equivalent to absorb			(B) Bolus
		X-rays below the		(C) Vaclock	(D) Cone
		optimum Kvp range.		(E) Not Attempted	
	(E) Not Attempted	optimum Kvp range.	69.	Enteroclysis is used in the	ar evaluation of:
61.	Solid state diods matifican			(A) Hepatobiliary serum	(B) Following tubes
	Solid state diode rectifier (A) Silicon	is made up of:		(C) Small bowel	
	(0) 0	(B) Cadmium			(D) Thecal sac
	(C) Gadolinium	(D) Sodium		(E) Not Attempted	
	(E) Not Attempted				
		10000	70.	Which of the following	about Cone beam CT is
62.	Most common histopatho	logy in bond and and	VIEW	false?	
	carcinoma is:	nogy in head and neck		(A) Reduced radiation	(B) Used in dental
*		(B) Lymphows		dose	imaging
	carcinoma	(B) Lymphoma	46181	(C) Has a cone shaped	(D) Costly than MDCT
	(C) Melanoma	(D) A d		beam	. Foodily mail MDC1
		(D) Adenocarcinoma		(E) Not Attempted	
63.	(E) Not Attempted		71.	The ability of X-ray filr	n or film screen
05.	Stenver's view is used to	17.00		combination system to	define an edge is:
	(A) Sella	(B) Mandible		(A) Resolution	(B) Sharpness
	(C) Greater tuberosity of	(D) Petrous temporal		(C) Speed	
	humerus	bone		(E) Not Attempted	(D) Radiographic mottle
	(E) Not Attempted			(=) Not Attempted	
64.	Lordotic view is used to	damon strata.	72	Most common histopat	hology in breast carcinoma
7	Edidotic view is used to			is:	<b>C.</b>
	(A) Exaggerated lumbar	(B) Para nasal sinuses		(A) Squamous cell	(B) Lobular carcinoma
	lordosis			carcinoma	, Boomar caremonia
	(C) Lung apices	(D) Middle lobe collapse		(C) Infiltrating duct	(D) Adenocarcinoma
	(E) Not Attempted			carcinoma	, / ridenocaremonia
65	IMRT refers to:			(E) Not Attempted	
	ivik i fefers to:	(B) Intensity Madulated		. / Worktompted	
		(B) Intensity Modulated			
	Radiotherapy	Radiotherapy			
	(C) Image Modulated	(D) None of the above	1		

(C) Image Modulated Radiotherapy (E) Not Attempted




Paper Series

Questions: 100 Max Marks: 100

Date: 17 Dec.'23

Duration: 90

8



rad (A) (C) (E) 74. Th of (A)	Beam limiting devices Not Attempted se speed of intensifying the following except Large crystal size	•
	) Reflective layer ) Not Attempted	(D) Absorptive layer
A) ()	O day rule of radiation  N) Radiation workers  C) Females in reproductive age  E) Not Attempted	protection applies to: (B) General public (D) Staff nurse
	યંબલ નદીની ખીણમાં થયે ગોળખાય છે?	ાલું ધોવાણ કયા નામે
	A) પડ ધોવાણ	(B) બાંગર ધોવાણ
	A) યેંડ યાંયાણ (C) જળકૃત ધોવાણ	(D) ક્રોતર ધોવાણ
	(C) કળકૃત વાવાણ (E) પ્રયત્ન કરવો નથી	(छ) आर्ट अस्पाद
		ી મીનાકારી માટે જાણીતું છે?
	વારાણસા રાહ્ય કવા સ્ઝા (A) લાલ રંગની	(B) લીલા રંગની
	(C) કાળા રંગની	(D) ગુલાબી રંગની
	(E) પ્રયત્ન કરવો નથી	(5) 32
	નીચેનામાંથી કઈ પદ્ધતિથ	ો ધોવાણ થતું નથી?
	(A) કોતર થકી ધોવાણ	(B) જંગલો થકી ધોવાણ
	(C) પવન થકી ધોવાણ	(D) પડધોવણ-
	(E) પ્રયત્ન કરવો નથી	
79.		ન માટે કયો પ્રદેશ જાણીતો છે?
	(A) ฐวโ	(B) યરોતર`
	(C) કોરોમંડલ	(D) દા <b>જિ</b> લિંગ′
	(E) પ્રયત્ન કરવો નથી	
80.	વિરુપાક્ષનું મંદિર ક્યાં આ	વેલું છે?
	(A) થંજાવુર	(B) મહાબલિપુરમ
	(C) પદ્દકલ	(D) વિજયનગર
	(E) प्रयत्न કरवो नथी	

he Q	uestion paper. All Questi	ons are compulsory.		
81.	મહાનદી કયા રાજ્યની નદી	93		
	(A) ઝારખંડ	(B) <b>ગુજ</b> રાત		
	(C) મધ્યપ્રદેશ	(D) ઓરિસ્સા		
	(E) प्रयत्न કरवो नथी			
82.	વન્યજીવન અંગેના કાયદામાં નીચેનો કયો વિસ્તાર			
	આવરી લેવામાં આવ્યો નથી	?		
	(A) જૈવ આરક્ષિત ક્ષેત્ર	(B) અભયારણ્ય		
	(C) રાષ્ટ્રીય ઉદ્યાન	(D) સંગ્રહ્મલય		
	(E) પ્રયત્ન કરવો નથી			
83.	રાણકી વાવ ક્યાં આવેલી છે	?		
	(A) พรงเ	(B) <b>५</b> ४		
	(C) અડાલજ	(D) નવસારી		
	(E) प्रयत्न કरवो नथी			
84.	લારતાંગા ખવારણમાં સુવાસ	•		
	માં વનસંરક્ષણ માટે જોગવા			
	(A) બંધારણના આમુખમાં	બંધાણની કલમ નંબર (B) ) <b>51</b> ક(		
Waste.	રાજનીતિના માર્ગદર્શન			
	અને સિદ્ધાંતો અને (C)C	(D) સરકારના કાયદામાં		
	્રિલ્લાગરિકની મૂળભૂત કરજો			
	રર શ (E) પ્રયત્ન કરવો નથી	v		
85		થી શ્રેષ્ઠ નમુનો કયો છે?		
	ુ (A) સાંચીનો સ્તુપ	્ (B) સારનાથનો સ્તુપ		
	(C) બુદ્ધ ગુફાઓ	(D) સારનાથનો સ્તંભ		
	(E) प्रयत्न કरवो नथी			
86	Radiation treatment is g	_		
	non-malignant brain cor (A) Astrocytoma	(B) Encephalitis		
	(C) Glioblastoma	(D) Craniopharyngioma		
87	(E) Not Attempted			
67	<ul> <li>Radiation reactions in h include all except:</li> </ul>	ead and neck radiation		
	(A) Bleeding per	(B) Mucositis		

vaginum

(C) Skin pigmentation (E) Not Attempted

(D) Dry mouth



na

(E) Not Attempted

### X-RAY TECHNICIAN EXAM VADODARA MUNICIPAL CORPORATION

Paper Series

Questions: 100

Max Marks: 100 Duration: 90

Date: 17 Dec.'23 the Question paper. All Questions are compulsory.

	Please read the instruction	ns carefully before attending t
88.		ng instruments include all  (B) Geiger Counter
89.	Which of the following effect of radiation?  (A) Skin erythema  (C) Carcinogenesis  (E) Not Attempted	(B) Sterility (D) Fetal abnormality
90.	Developing solution use consists of: (A) Sulphuric acid (C) Hydroquinone meto (E) Not Attempted	(B) Sodium thiosulphate (D) Chrome alum
91	radiation?  (A) Tumour lysis syndrome  (C) Polymyositis (E) Not Attempted	(B) Superior venacaval obstruction (D) None of the above in the following conditions (B) Chemotherapy (D) Pelvic irradiation
	anode X-ray tube?  (A) Conduction (C) Radiation (E) Not Attempted  94. The viewing glass in have lead equivalenc (A) 0.5 mm (C) 2 mm	(B) Convection (D) All of the above the CT console room should e of: (B) 1 mm (D) 5 mm
	95. Primary radiation bar (A) Concrete (C) Steel	rrier materials used include: (B) Lead (D) Any of the above

Electronic Portal Imaging Device (EPID) in radiotherapy is used for: (A) Treatment planning (B) Treatment verification (C) CT simulation (D) Conversional simulation (E) Not Attempted 97 Most common histopathology in cancer cervix is: (A) Squamous cell (B) Adenocarcinoma carcinoma (C) Lymphoma (D) Melanoma (E) Not Attempted 98. Lymphatics from uterus drain to all except: (A) External iliac lymph (B) Internal iliac lymph nodes nodes (C) Inguinal lymph (D) Mesenteric lymph nodes nodes (E) Not Attempted 99. Xiphisternal joint is at the level of: (A) 6<sup>th</sup> thoracic vertebra (B) 9<sup>th</sup> thoracic vertebra (D) 3<sup>rd</sup> lumbar vertebra (C) 1<sup>st</sup> lumbar vertebra (E) Not Attempted 100. X-ray film emulsion is made up of: (A) Cadmium (B) Phosphorus (D) Lead (C) Silver halide (E) Not Attempted